



**AB**



**PACKK**

*Pack with confidence*

# MultiHead Packaging Machine

Specialist in Packaging Machines



**AB PACKK**



## Specifications

Sealing Style	: Center Seal/Gazette Pouch/3 Side Seal
Speed	: 45-80 Strokes/Minutes (Varies according to product type and quantity to filled)
Packaging Material	: Laminate with heat sealable layer
Filling Capacity	: 5 gm to 10 gm
Filler Type	: Multi Head Weigher
Power Required	: 7-8 Kw/H
Main Motor	: 2.2 KW, 3 Phase, 415 Volts
Servo Motor	: Mitsubishi/Delta/Fuji
PLC	: Delta/Mitsubishi/Delta/Fuji
Max Roll	: Width 850 mm
Max Roll Dia	: 350 mm
Reel Core Dia	: 76 mm
Machine Structure	: Body - MS, Contact Parts SS 304
Machine Color	: Powder Coated / SS Covering
Machine Length	: 2000 mm
Machine Width	: 2000 mm
Machine Height	: 4000 mm
Weight	: 2200 Kg. approx
Air Compressor	: 5 HP, 6Kg / cm sq
Temperature Controller	: PID based
Vertical & Horizontal Sealing	: Pneumatic / Servo
Batch Cutter Operation	: Pneumatic
Film Draw Off	: Clutch Brake / Servo / Gear Motor
Machine Setting	: Touch Panel Screen
Safety	: Machine Covered by Acrylic Sheet

## Special Features

- Highly Customized ◆
- Easy to Operate ◆
- High Accuracy ◆
- Cost - Effects ◆
- Extensive Variety of Filling ◆
- Products and Quantity ◆

## Product To Be Packed

- Potato Chips ◆
- Snacks ◆
- Granuel ◆
- Flakes ◆
- Soya Chunks ◆
- Dry Fruits ◆
- Leaves Like Green Tea Kasuri Methi ◆
- Rice and Pulse ◆

# Collar Type Machine

Specialist in Packaging Machines



**AB PACKK**

## Specifications

Sealing Style	: Center Seal/3 Side
Filler Type	: Cup, Auger, Piston
Speed	: 30-100 Pouch/Min (Depend upon the type of product & quantity to filled)
Packaging Material	: Any Sealable Laminate
Filling Capacity	: 5 gms to 10 Kg
Power Required	: 4 Kw
Max Roll Width	: 850 mm
Max Roll Dia	: 350 mm
Reel Core Dia	: 76 mm
Main Motor	: 2.2 KW, 3 - Phase, 415 Volts
Dimension of Machine	: 2 m X 1.5 m X 3 (LX WX H)
Net Weight	: 1000 Kg. Approx
Gross Weight	: 1200 Kg. Approx
Air Consumption	: 0.5 Normal Litre / Machine Cycle 6 Kg. cm Box
Air Compressor	: 4 Cylinders, Single Stage, 3 Hp, 100 Litre Tank 2 CFM at pressure 6 kg. / cm sq.
Temperature Controller	: PID Based
Machine Colour	: S. Grey
Vertical & Horizontal Sealing	: Mechanical / Pneumatic / Servo
Batch Cutter Operation	: Pneumatic / Mechanical
Film-Draw Off	: Servo Control / Gear Motor
Film Tracking	: Automatic
Machine Control	: Automatic
Display Setting	: Through Touch Panel Screen
Safety	: Machine Covered by Acrylic Sheet
Machine Structure	: Machine all contacts parts SS 304 & Main body mild steel with powder coated by coated / Stainless Steel

## Special Features

- PLC Based Machine ◆
- Servo Belt Draw Off System For Positive And Accurate Film Pulling ◆
- Pneumatic / Servo Operation of Horizontal Sealing Jaw ◆
- Precise Pack Size Control Through Motorised Film Roll Unwinding ◆
- Print Mark Scanner ◆
- Touch Screen Interface ◆
- Adjustable stroke of cross sealing jaws for optimum ◆

## Product To Be Packed

- ◆ Spices
- ◆ Atta
- ◆ Tea
- ◆ Ketchup
- ◆ Besan
- ◆ Pharma Powder
- ◆ Mayonnaies
- ◆ Pulse
- ◆ Sugar

# Lined Carton Machine

Specialist in Packaging Machines



**AB PACKK**



## Specifications

<b>Model</b>	: AB-12 (14 Station) : AB-80 (22 Station)
<b>Speed</b>	: 40-48 Carton/min. (Depends upon product and pack size)
<b>Packaging Material</b>	: Duplex carton with heat sealable liner attached inside
<b>Filling Capacity</b>	: 10 gms to 250 gms / Liqued 100 gms to 1 kg
<b>Filler Type</b>	: Auger / Cup Filler / Piston Filler
<b>Power Required</b>	: 5 Kw to 8 Kw (Depending upon equipment configuration)
<b>Main Motor</b>	: 2.2 KW, 415 V, 3 Phase, 1440 RPM
<b>Servo Motor</b>	: 2 Kw
<b>Control</b>	: HMI, PLC
<b>Machine Structure</b>	: Mild Steel
<b>Machine Color</b>	: S Grey
<b>Weight</b>	: 2400 Kg. approx
<b>Temperature Controller</b>	: PID based
<b>Vertical &amp; Horizontal Sealing</b>	: Mechanical Sealing

## Special Features


- It is an intermittent machine and can be used for packing a wide range of products such as coffee, tea, spices and other dry products
- The basic machine is extremely robust and all operations are driven mechanically
- All contact parts are of stainless steel
- A Variety of filling devices are available for virtually any type of product
- Includes a double track conveyor at carton exit

## Product To Be Packed

- Tea
- Spices
- Ghee
- Glucose

# Multitrack Machine

Specialist in Packaging Machines



**AB PACKK**

## Specifications

Model	: AB-800P / 800L / 600P / 600L
Speed	: 45-55 Pouch/min. (Depends upon product and pack size)
Packaging Material	: Heat sealable Laminate / Aluminium Foil
Filling Capacity	: 2ml to 250ml / 2 gms to 250 gms
Filler Type	: Volumetric Cup Filler / Piston Cylinder / Servo Auger / Solenoid Valve
Power Required	: 8 Kw
Main Motor	: 3 HP
Servo Motor	: 2.2 Kw
Control	: HMI, PLC
Machine Structure	: Mild Steel
Machine Color	: S Grey
Weight	: 1200 Kg. approx
Temperature Controller	: PID based
Vertical & Horizontal Sealing	: Pneumatic Sealing

## Special Features

- It is an intermittent machine and can be used for packing a wide range of products such as coffee, tea, spices, eno, detergent powder, shampoo, ketchup, all souces, ginger garlic paste, and other dry products
- The basic machine is extremely robust and all operations are driven mechanically
- All contact parts are of stainless steel
- A Variety of filling deices are available for virtually any type of product
- Includes a double track conveyor at carton exit

## Product To Be Packed

- Tea Leaf, Coffee Powder
- Detergent Powder, Ketchup, Spices Powder
- Souces, Ginger Garlic Paste
- Pickless, Chutnee, Shampoo, Mayonnaise

# Horizontal Flow Wrap Machine

Specialist in Packaging Machines



**AB PACKK**



## Specifications

<b>Model</b>	: AB-Flow Wrap
<b>Speed</b>	: 60-120 Pouches/min. (Depends upon product and pack size)
<b>Packaging Material</b>	: Heat sealable Laminate liner attached inside
<b>Filling Capacity</b>	: 1pc to multiple pcs
<b>Filler Type</b>	: Manual / Automatic
<b>Power Required</b>	: 2 Kw / AC with AC Drive / Available Voltage : 220V / 440V Phase : 1 Phase / 3 Phase Load : 3kW
<b>Main Motor</b>	: 1 HP
<b>Servo Motor</b>	: 1 Kw / 2 Kw
<b>Control</b>	: HMI, PLC
<b>Machine Structure</b>	: Mild Steel / Stainless Steel
<b>Machine Color</b>	: S Grey
<b>Weight</b>	: 800 Kg. approx
<b>Temperature Controller</b>	: PID based
<b>Vertical &amp; Horizontal Sealing</b>	: Mechanical Sealing

## Special Features

- It is continuous motion machine and can be used for packing a wide range of products. coffee, tea, spices and other dry products
- The basic machine is extremely robust and all operations are driven mechanically
- All contact parts are of stainless steel
- A Variety of filling devices are available for virtually any type of product
- Includes a double track conveyor at carton exit

## Product To Be Packed

- Busicits
- Cakes
- Soap
- Rusk, Chocolate Bar, Noodles
- Engineering Components & Hardware Products

# Pneumatic Pouch Machine

Specialist in Packaging Machines



**AB PACKK**

## Specifications

Sealing Style	: Center Seal/3 or 4 Side Seal Pouch
Speed	: 30-40 Strokes/Minutes (Varies according to product type and quantity to filled)
Packaging Material	: Laminate with heat sealable layer
Filling Capacity	: 5 gm to 500 gm
Filler Type	: Cup / Auger / Piston
Power Required	: 2-3 Kw/H
Main Motor	: 1 KW, 3 Phase, 415 Volts
Servo Motor	: Mitsubishi/Delta/Fuji
PLC	: Delta/Mitsubishi/Fuji
Max Roll	: Width 300 mm
Max Roll Dia	: 250 mm
Reel Core Dia	: 76 mm
Machine Structure	: Body - MS, Contact Parts SS 304
Machine Color	: Powder Coated / SS Covering
Machine Length	: 1600 mm
Machine Width	: 1600 mm
Machine Height	: 4000 mm
Weight	: 700 Kg. approx
Air Compressor	: 3 HP, 6Kg / cm sq
Temperature Controller	: PID based
Vertical & Horizontal Sealing	: Pneumatic / Servo
Batch Cutter Operation	: Pneumatic
Film Draw Off	: Pull Roller
Machine Setting	: Button/Touch Panel Screen
Safety	: Machine Covered by Acrylic Sheet

## Special Features

- Customized ◆
- Easy to Operate ◆
- High Accuracy ◆
- Cost - Effects ◆
- Multipurpose ◆

## Product To Be Packed

- Tea ◆
- Snacks ◆
- Granuel ◆
- Flakes ◆
- Salt ◆
- Detergent Powder ◆
- All Liqued and Pastes ◆
- Pulse ◆



 Plot No. 136, Sector-6, Industrial Area, Ballabgarh, Faridabad-121006, Haryana

 8750745749, 9999004285, 7836030696

 [davender@abpackk.com](mailto:davender@abpackk.com), [mohitdobriyal@abpackk.com](mailto:mohitdobriyal@abpackk.com)

 [www.abpackk.com](http://www.abpackk.com)